Printing date 09/02/2021

Reviewed on 09/02/2021

### **1** Identification

- · Product identifier: 11356239
- Trade name: SolidWELD Solvent Based Anti-Spatter Spray
- · Item number(s): 11356239
- SDS Number: 538
- $\cdot$  Application of the substance / the mixture <code>SOLVENT</code> BASED ANTI-SPATTER
- **Manufacturer/Supplier:** Messer Canada Inc. 5860 Chedworth Way Mississauga, ON L5R 0A2 Canada
- Information department: Phone: 1-888-256-7359 www.messer-ca.com www.shop.messer-ca.com
- Emergency telephone number: ChemTrec (800) 424-9300 / 1-(703)-741-5970 Canada only: CANUTEC (Call collect) (613) 996-6666

# **2 Hazard identification**

· Classification of the substance or mixture:		
GHS04 Gas cylinder		
Gases Under Pressure - Dissolved Gas	H280	Contains gas under pressure; may explode if heated.
GHS08 Health hazard		
Carcinogenicity – Category 2	H351	Suspected of causing cancer.
Specific Target Organ Toxicity - Repeated Exposure - Category 2	e H373	May cause damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.
GHS07		
Skin Irritation - Category 2	H315	Causes skin irritation.
Eye Irritation - Category 2A	H319	Causes serious eye irritation.
Category 3 • Label elements	H335-H336	May cause respiratory irritation. May cause drowsiness or dizziness.
<ul> <li>GHS label elements</li> <li>The product is classified and labeled according to th</li> <li>Signal word: Warning</li> </ul>	e Globally H	larmonized System (GHS).
<ul> <li>Hazard-determining components of labeling: methylene chloride</li> <li>Hazard statements:</li> </ul>		
H280 Contains gas under pressure; may expl	ode if heated	l. (Contd. on page 2)

Printing date 09/02/2021

Reviewed on 09/02/2021

# Trade name: SolidWELD Solvent Based Anti-Spatter Spray

	(Contd. of page 1)
H315 C	auses skin irritation.
H319 C	auses serious eye irritation.
H351 S	uspected of causing cancer.
H335-H336 M	lay cause respiratory irritation. May cause drowsiness or dizziness.
H373 M	lay cause damage to the central nervous system, the kidneys and the blood through
	rolonged or repeated exposure.
Precautionar	y statements:
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+F	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P321	Specific treatment (see on this label).
P314	Get medical advice/attention if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
	pertaining to particular dangers for man and environment:
<ul> <li>NFPA ratings</li> </ul>	s (scale 0 - 4):

Health = 2 Fire = 0 Reactivity = 1

# **3** Composition/Information on ingredients

· Chemical characterization: Mixtures

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
75-09-2	methylene chloride	80-100% w/w *
124-38-9	carbon dioxide	1-5% w/w *

\* Actual concentration ranges are withheld as a trade secret.

(Contd. on page 3)

Printing date 09/02/2021

#### Reviewed on 09/02/2021

#### Trade name: SolidWELD Solvent Based Anti-Spatter Spray

(Contd. of page 2)

### **4 First-aid measures**

#### · After inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.

· After skin contact:

Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### • After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

- After swallowing: Do not induce vomiting, Immediately call a poison center/ doctor.
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

## **5 Fire-fighting measures**

• Suitable extinguishing agents:

- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture: No further relevant information available.
- Protective equipment: No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:** Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

Reference to other sections:
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

### 7 Handling and storage

- · Handling
- Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Storage
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurized containers.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s): No further relevant information available.

(Contd. on page 4)

(Contd. of page 3)

# Safety Data Sheet according to HPR, Schedule 1

Printing date 09/02/2021

Reviewed on 09/02/2021

Trade name: SolidWELD Solvent Based Anti-Spatter Spray

	controls/Devected protoction			
8 Exposure	8 Exposure controls/ Personal protection			
	· Additional information about design of technical systems: No further data; see item 7.			
-	· Components with limit values that require monitoring at the workplace:			
	The chloride			
EL (Canada)	TWA: 25 ppm IARC 2A			
EV (Canada)	TWA: 175 mg/m³, 50 ppm			
PEL (USA)	STEL: 125 ppm TWA: 25 ppm see 29 CFR 1910.1052			
REL (USA)	See Pocket Guide App. A			
TLV (USA)	TWA: 174 mg/m³, 50 ppm BEI			
124-38-9 car				
EL (Canada)	STEL: 15000 ppm TWA: 5000 ppm			
EV (Canada)	STEL: 54,000 mg/m³, 30,000 ppm TWA: 9,000 mg/m³, 5,000 ppm			
PEL (USA)	TWA: 9000 mg/m³, 5000 ppm			
REL (USA)	STEL: 54,000 mg/m³, 30,000 ppm TWA: 9000 mg/m³, 5000 ppm			
TLV (USA)	STEL: 54,000 mg/m³, 30,000 ppm TWA: 9000 mg/m³, 5000 ppm			
· Ingredients	with biological limit values:			
75-09-2 metł	nylene chloride			
Т	.3 mg/L ledium: urine ime: end of shift arameter: Dichloromethane (semi-quantitative)			
<ul> <li>Personal profice</li> <li>General profice</li> <li>General profice</li> <li>Wash hands</li> <li>Breathing ed</li> <li>Protection of</li> </ul>	Information: The lists that were valid during the creation were used as basis. Detective equipment lective and hygienic measures: com foodstuffs, beverages and feed. before breaks and at the end of work. quipment: Use suitable respiratory protective device in case of insufficient ventilation. If hands: betective gloves aterial has to be impermeable and resistant to the product/ the substance/ the preparation. Iloves: PVA gloves on: Not required.			

(Contd. on page 5)

Printing date 09/02/2021

Reviewed on 09/02/2021

### Trade name: SolidWELD Solvent Based Anti-Spatter Spray

(Contd. of page 4)

Form:	Liquid Under Pressure	
Color:	Light yellow	
Odor:	Strong Ether-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-96.7 °C	
Boiling point/Boiling range:	104 °C	
Flash point:	Not applicable.	
	Not applicable, as aerosol.	
Flammability (solid, gaseous):	Product is not flammable.	
Ignition temperature:	605 °C	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	13 Vol %	
Upper:	22 Vol %	
Vapor pressure at 20 °C:	453 hPa	
Density at 20 °C:	1.056 g/cm³	
Relative density:	Not determined.	
Vapor density at 20 °C:	2.93 (AIR=1)	
Evaporation rate at 20 °C:	27.5 (BA=1)	
Solubility in / Miscibility with	00	
Water at 20 °C:	20 g/l	
Partition coefficient (n-octanol/wate	<b>r):</b> 1.25 log POW	
Viscosity:	New Johnson Second	
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:	0.00.0/	
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal	
Other information	VOC Content: >900 g/kg	
	VOC %: 90%	
	HAP Content: 90% MIR Value: 0.068 g O₃/g	

# **10 Stability and reactivity**

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. • Possibility of hazardous reactions: No dangerous reactions known.

(Contd. on page 6)

CA

(Contd. of page 5)

2A

R

## Safety Data Sheet according to HPR, Schedule 1

Printing date 09/02/2021

Reviewed on 09/02/2021

#### Trade name: SolidWELD Solvent Based Anti-Spatter Spray

- · Conditions to avoid: No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects:

· Acute toxicity

### · LD/LC50 values that are relevant for classification:

- 75-09-2 methylene chloride
- Oral LD50 1,600 mg/kg (rat)
- Inhalative LC50/4 h 88 mg/l (rat)

#### Primary irritant effect

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

75-09-2 methylene chloride

### · NTP (National Toxicology Program)

75-09-2 methylene chloride

# **12 Ecological information**

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems
- · **Bioaccumulative potential:** No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- Danger to drinking water if even small quantities leak into the ground.
- Other adverse effects: No further relevant information available.

# **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

CA

Printing date 09/02/2021

Reviewed on 09/02/2021

### Trade name: SolidWELD Solvent Based Anti-Spatter Spray

(Contd. of page 6)

### · Uncleaned packagings

Recommendation:

Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

# **14 Transport information** · UN-Number · DOT/TDG, ADR, IMDG, IATA UN1950 · UN proper shipping name · DOT/TDG Aerosols, non-flammable, containing substances in Division 6.1, Packing Group III · ADR 1950 AEROSOLS ·IMDG **AEROSOLS** AEROSOLS, non-flammable, containing substances · IATA in Division 6.1, Packing Group III · Transport hazard class(es) · DOT/TDG (Transport dangerous goods): · Class 2.2 · Label 2.2, 6.1 · ADR 2 5T Gases · Class · Label 2.2+6.1 ·IMDG 2.2 · Class · Label 2.2/6.1 ·IATA · Class 2.2 · Label 2.2 (6.1) (Contd. on page 8) CΔ

Printing date 09/02/2021

Reviewed on 09/02/2021

# Trade name: SolidWELD Solvent Based Anti-Spatter Spray

	(Contd. of page
Packing group DOT/TDG, ADR, IMDG, IATA	Not regulated
Environmental hazards: Marine pollutant:	No
Special precautions for user: Hazard identification number (Kemler cod EMS Number:	Warning: Gases <b>le):</b> - F-D,S-U
· Stowage Code	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS Category C, Clear of living quarters.
Segregation Code	<ul> <li>SG69 For AEROSOLS with a maximum capacity of litre:</li> <li>Segregation as for class 9. Stow "separated from class 1 except for division 1.4.</li> <li>For AEROSOLS with a capacity above 1 litre:</li> <li>Segregation as for the appropriate subdivision o class 2.</li> <li>For WASTE AEROSOLS:</li> <li>Segregation as for the appropriate subdivision o class 2.</li> </ul>
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	f Not applicable.
Transport/Additional information:	
· DOT/TDG · Quantity limitations	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
Remarks:	This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.
ADR	This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
·IMDG	
· Limited quantities (LQ) · Excepted quantities (EQ)	120 ml Code: E0 Not normitted as Excented Quantity
Remarks:	Not permitted as Excepted Quantity This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.
IATA	
Remarks:	This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.
	(Contd. on page

Printing date 09/02/2021

Reviewed on 09/02/2021

#### Trade name: SolidWELD Solvent Based Anti-Spatter Spray

(Contd. of page 8)

· UN "Model Regulation":

UN 1950 AEROSOLS, 2.2 (6.1)

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

75-09-2 methylene chloride

• TSCA (Toxic Substances Control Act):

All ingredients are listed or exempted

### · Proposition 65

· Chemicals known to cause cancer:

75-09-2 methylene chloride

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Canadian substance listings

· Canadian Domestic Substances List (DSL/NDSL):

All ingredients are listed.

Canadian Ingredient Disclosure list (limit 0.1%):

75-09-2 methylene chloride

· Canadian Ingredient Disclosure list (limit 1%):

124-38-9 carbon dioxide

### GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

### · Hazard-determining components of labeling:

methylene chloride

### · Hazard statements

- H280 Contains gas under pressure; may explode if heated.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

(Contd. on page 10)

<sup>-</sup> CA

Printing date 09/02/2021

Reviewed on 09/02/2021

#### Trade name: SolidWELD Solvent Based Anti-Spatter Spray

(Contd. of page 9)

- H351 Suspected of causing cancer.
- H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

H373 May cause damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.

### **16 Other information**

The information contained herein is provided in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond our control. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made.

- · Department issuing SDS: Product safety department
- · Contact: Stephen Nowicki
- · Date of the latest revision of the safety data sheet 09/02/2021 / -
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent